



**FEATURES**

This lanyard is fitted with a premium adjustable buckle configuration which provides ease of adjustment for both tightening and releasing. The design is compact, hard wearing and has a long life in arduous environments

The wrist tool lanyards are available in a choice of two safety release expansion joint configurations to suit both application and risk of exposure to de-gloving in an accident.

The expansion joint also provides additional user wearing comfort and flexibility

The (Full) expansion joint option is an 8cm link that expands to 17cms (112% stretch) suitable for tools up to 2kgs and where this is a risk of lanyard being caught in rotating machinery. The full expansion joint allows the hand to be pulled free very quickly

The (Half) expansion joint option is a 5cm link that expands to 9cms (80% stretch) suitable for tools up to 5kgs allows hand to be pulled free should the lanyard become trapped (not for use with rotating machinery which may require a faster release). The half expansion joint has better wear characteristics

Supplied with a stainless steel wire (encapsulated in a protective rubber sleeve) loop and toggle, which allows direct tool attachment via choking, looping or use with a connector

Individually serialised for clear easy inspection, full traceability and control

Issued with a 'Declaration of Conformity' product certificate and 'Final Inspection' sheet

Rated for hand tools up to 5kgs (Dynamically tested - see 'testing pages' for more info). Rating using a 2:1 safety factor

The wrist lanyard is made from premium polyester webbing, industrial grade elastic tape, and 2mm stainless steel wire, and marine grade premium adjustable buckle, finished to a high standard. Lanyard weight: 0.01kgs (without connectors)

Manufactured at our height safety product factory in the UK

The wrist lanyard is made from premium polyester webbing, industrial grade elastic tape, and 3mm Multi-braid rope, and marine grade premium adjustable buckle, finished to a high standard. Lanyard weight: 0.02kgs (without connectors)

Manufactured at our height safety product factory in the UK

**Wrist Tool Lanyard (PRO WIRE LOOP) Buckle Fastening**

The (Pro Wire Loop) buckle fastening wrist tool lanyard is manufactured by Leading Edge in the UK. The design has been optimised for durability in harsh and abrasive environments, where synthetic cords would not be suitable. The loop is made using 2mm stainless steel wire encapsulated in a protective rubber sleeve. Using a wrist tool lanyard enables easy tool pick-up, ideally suited to single tool repetitive use, i.e. scaffolding and trades working at height where it helps to have the tool available for speed and efficiency, and combined with superior tool attachment versatility i.e. looping, choking or use with a connector. The wrist tool lanyard has a special design feature that only requires the use of one hand to fit and adjust. All Leading Edge wrist lanyards have a unique safety release expansion joint, protecting against de-gloving in an accident. The design makes it possible for the wrist strap to come free in an emergency, releasing the hand from becoming pulled into potential danger should their tool/lanyard become trapped, for example in rotating machinery. The expansion joint is available in two options i.e. full expansion and a half expansion joint.



Code	Expansion Joint	Description
WTLPLBFULLK	Full Expansion	Supplied with Karabiner
WTLPLBFULLM	Full Expansion	Supplied with Mallion
WTLPLBFULLP	Full Expansion	Supplied with (Plain) No Connectors
WTLPLBHALFK	Half Expansion	Supplied with Karabiner
WTLPLBHALFM	Half Expansion	Supplied with Mallion
WTLPLBHALFP	Half Expansion	Supplied with (Plain) No Connectors